

Artfibers Design

124 Sutter St., San Francisco, Ca 94104

Flat (Bottom-Up) Hip length Fitted Waist Pullover with No Hem
Set-in Classic shoulder Sleeveless with No Hem
Scoop front neck and Scoop back neck with no collar

Pattern File Name: casanova tank
Size: Standard Woman 32 for web

Date started: 8/30/08 Finished: *

YARN DESCRIPTION:

casanova; *; silk/mohair; hand wash, dry flat

GAUGE DATA:

Gauge (Stocking Stitch over 4 in = 10 cm): 20.0 sts by 24.0 rows.

Body knit by hand on # 7 US needles

Ribbing knit by hand on # 5 US needles

FINISHED DIMENSIONS: (ins): ... with Skintight fit.

Chest: 31.0 Armhole: 14.9 Top Neck Opening: 7.6

Waist: 26.2 Hem Width: 0.0 Front Neck Width: 2.5

Hip: 33.5 Front Neck Depth: 4.9

Back Neck Width: 2.5

Back Width: 12.6 Back Neck Depth: 4.9

Body Length: 25.4 Collar Length: 0.0

Back Waist Length: 16.2

Note: Read ALL these instructions thoroughly BEFORE starting to knit. There may be sections where there are two shapings to work at the same time (such as necklines or waist shaping).

BACK:

1. Cast on 86 sts on size 7 needles and use Stocking Stitch.
2. Work even until piece measures 2.7 ins (16 rows).
3. Waist Shaping. Dec 1 st at each end of next row, then every following 4th row 8 times to 68 sts. Work even for 1.2 ins (7 rows). Inc 1 st at each end of next row, then every following 7th row 5 times to 80 sts. Work even for 1.7 ins (10 rows) to total 17.3 ins.
4. Armhole shaping. Cast off 4 sts at beginning of next 2 rows. Dec 1 st at each end of every alternate row for 8 rows until 64 sts remaining. Continue until armhole measures 3.3 ins (20 rows), with 64 sts remaining.

Artfibers Design

124 Sutter St., San Francisco, Ca 94104

5. Shape neck. Work both sides at the same time. Work 26 sts. With a second ball of yarn, cast off the next 12 sts. Work remaining 26 sts. Dec 1 st at neck edge every row 6 times, then dec 1 st at neck edge every other row 7 times, until 13 sts remain.
6. Work even until armhole measures 7.7 ins (46 rows).
7. Shoulder shaping. Cast off 6 sts at armhole edge, then cast off 7 sts at armhole edge.

FRONT:

- 1-3 Follow steps 1, 2 and 3 as for back.
4. Armhole. Dec for armhole at both ends, as for back. Continue until armhole measures 3.3 ins (20 rows), with 64 sts remaining.
5. Shape neck. Work both sides at the same time. Work 26 sts. Cast off next 12 sts. Work remaining 26 sts. Dec 1 st at neck edge every row 6 times, then dec 1 st at neck edge every other row 7 times, until 13 sts remain.
6. Work even until armhole measures 7.7 ins (46 rows).
7. Shoulder shaping. Cast off as for back.

SHOULDER SEAMS:

1. Sew fronts to back along shoulder seams.

FINISHING:

1. Sew side seams. Sew any remaining seams.
2. Finish neckline edges.
3. Darn/weave/sew in all loose ends.

AMOUNT OF YARN REQUIRED TO MAKE GARMENT:

15.0 Yards makes 29.0 stitches by 23.0 rows.

Amount needed:

470.4 Yards (4.84 sq ft) for body

0.0 Yards (0.00 sq ft) for ribbing and/or hems

0.0 Yards (0.00 sq ft) for collar/hood

470.4 Yards (4.84sq ft) TOTAL

Artfibers Design

124 Sutter St., San Francisco, Ca 94104

Casanova Tank schematic (note -- front and back are the same)

